



GRINDING & POLISHING

GRINDING BG-180EC

Working width	Ø 180mm, 7"
Motor	1.75 HP / 115V – 60Hz / 15A – Single phase
Working speed	2200 rpm
Weight	128 lbs
Dimensions L / W / H	51" L / 17" W / 39" H
Drive system / speed	Manual / N/A



GRINDING BGP-250

Working width	Ø 250mm, 10"
Motor	13 HP / Petrol (Honda)
Working speed	2000 rpm (1300 - 2300 rpm range)
Weight	271 lbs
Dimensions L / W / H	51.5" L / 26.5" W / 42.5" H
Drive system / speed	Manual / N/A



GRINDING BG-250

Working width	Ø 250mm, 10"
Motor	1.75 HP 115V – 60Hz / 15A – Single phase
Working speed	1920 rpm
Weight	155 lbs
Dimensions L / W / H	46.5" L / 20.5" W / 45.3" H
Drive system / speed	Manual / N/A



GRINDING BMG-435WD

Working width	Ø 435mm, 17"
Motor	3HP / 230V - 60Hz / 16A - Single phase 3HP / 115V – 60Hz / 32A – Single phase
Working speed	720 rpm
Weight	253 lbs
Dimensions L / W / H	43" L / 18" W / 53" H
Drive system / speed	Manual / N/A



GRINDING BMG-435P

Working width	Ø 435mm, 17"
Motor	3HP / Gas Powered
Working speed	875 rpm
Weight	286 lbs
Dimensions L / W / H	51" L / 18" W / 36" H
Drive system / speed	Manual / N/A
Tooling Diameter	6"



GRINDING BMG-555

Working width	Ø 555mm, 22"
Motor	7.37 HP / 230V 1Ø 60HZ
Working speed	350-900 rpm
Weight	600 lbs
Dimensions L / W / H	81" / 22" / 46"
Drive system / speed	Manual / N/A



GRINDING BMG-735PRO

Working width	Ø 735mm, 29"
Motor	15HP / 230V or 460V 3Ø 60HZ
Working speed	350 – 1100 rpm
Weight	335 kg, 740 lbs
Dimensions L / W / H	81" L / 29"W / 46" H
Drive system / speed	Manual / N/A



GRINDING BMG-780PRO

Working width	Ø 780mm, 31"
Motor	20HP / 230V or 460V 3Ø 60HZ
Working speed	425 – 1200 rpm
Weight	436 kg, 1075 lbs
Dimensions L / W / H	83" L / 31"W / 49" H
Drive system / speed	Manual / N/A



GRINDING BMG-780RS

Working width	Ø 780mm, 31"
Motor	20HP / 230V or 460V 3Ø 60HZ
Wheel motors	2x 0,25kW
Working speed	425 – 1200 rpm
Weight	565 kg, 1290 lbs
Grinding pressure	260 – 410 kg
Dimensions L / W / H	83" L / 31"W / 49" H
Drive system / speed	Electric / 0 - 10,5m/min



USA HEADQUARTERS

DIAMATIC USA

5220 Gaines Street
San Diego, CA 92110

Toll free: 866.295.5512

Tel: 619.295.0893

Fax: 619.295.0754

Email: info@diamaticusa.com

www.diamaticusa.com

www.ultraflor.com

CANADA

**INTERNATIONAL SURFACE
PREPARATION**

5125 Timberlea Blvd
Mississauga, ON, L4W 2S3

Toll free: 866.669.6643

Fax: 866.669.6644

www.blastrac.ca

www.ultraflor.com

MÉXICO

DIAMATIC MÉXICO S.A de C.V

Solidaridad 1069
Unidad Nacional I, Santa Catarina
N.L, México. 66360

Voice: (52) 818.335.2810

Mobile: 044.899.959.1006

Email: info@diamaticmx.com

www.diamaticmx.com

www.ultraflor.com

NORTHEAST FACILITY

DIAMATIC USA

622 Grant Road
Folcroft, PA 19032

Toll free: 866.295.5512 EX: 1009

Fax: 888.283.3312

Email: info@diamaticusa.com

CALGARY

**INTERNATIONAL SURFACE
PREPARATION**

17-4216 54th Ave SE
Calgary, ON, T2C 2E3

Toll free: 866.669.6643

Fax 866.669.6644

European Headquarters

DIAMATIC EU

Utrechtaven 12
3433 PN Nieuwegein
The Netherlands

Tel: +31 (0)30 223 8630

Fax: +31 (0)30 223 8981

E-mail: info@diamatic.eu

www.diamatic.eu

INDUSTRY LEADING WARRANTY
ULTRAFLOOR: POLISHED CONCRETE SYSTEMS
NATIONWIDE RENTALS AVAILABLE
ADVANCED TRAINING CLASSES