



DUST COLLECTORS

### DUST COLLECTOR BDC-1216

Dimensions W / L / H	25" / 22.5" / 39"
Weight	88 lbs
Motor power	1.6 kW / 110 V / 60 Hz / 16 A
Dust extraction motors	2 independent motors
Filter	M-class star filter
Airflow	184 cfm / Static pressure 80"
Cleaning	Manual shaker on top
Dust hose inlet	Ø 2"
Dustbin capacity	10.5 gal



### DUST COLLECTOR BDC-1330 TLP

Dimensions W / L / H	24" / 31" / 51"
Weight	147 lbs
Motor power	3 kW / 110 V / 60 Hz / 32 A 3 kW / 230 V / 60 Hz / 16 A
Dust extraction motors	3 independent motors
Filter	M class star filter
Airflow	264 cfm / Static pressure 85"
Cleaning	Manual Shaker on top
Dust hose inlet	Ø2" / Ø3"
Dustbin capacity / Optional dustbin	40 ga / Longo Pack System standard



### DUST COLLECTOR BDC-1330 LLP

Dimensions W / L / H	23.5" / 47" / 63"
Weight	507 lbs
Motor power	4.5 kW / 230 V / 60 Hz / 32 A
Optional motor power	4.5 kW / 460 V / 60 Hz / 16 A
Dust extraction motors	1 powerful motor
Filter	3 cartridge filters
Airflow	370 cfm / Static pressure 90"
Cleaning	Automatic pulse cleaning system
Dust hose inlet	Ø2" / Ø3"
Dustbin capacity / Optional dustbin	55 lbs / 26 gal



### DUST COLLECTOR BDC-3140DBP

Dimensions W / L / H	23.5" / 47" / 63"
Weight	507 lbs
Motor power	4.5 kW / 230 V / 60 Hz / 32 A
Optional motor power	4.5 kW / 460 V / 60 Hz / 16 A
Dust extraction motors	1 powerful motor
Filter	3 cartridge filters
Airflow	370 cfm / Static pressure 90"
Cleaning	Automatic pulse cleaning system
Dust hose inlet	Ø2" / Ø3"
Dustbin capacity / Optional dustbin	55 lbs / 26 gal



### DUST COLLECTOR BDC-44

Dimensions W / L / H	26" / 51" / 56"
Weight	655 lbs
Motor power	6,0 kW / 460 V / 60 Hz / 32 A / 5 pole CE plug
Dust extraction motors	1 electric motor
Filter	4 high quality cartridge filters
Airflow	885 cfm / Static pressure 24.5"
Cleaning	Automatic pulse cleaning system
Dust hose inlet	Ø3" / Ø4" / Ø5"
Dustbin capacity	26 gal



### DUST COLLECTOR BDC-66

Dimensions W / L / H	30" / 68" / 65"
Weight	1015 lbs
Motor power	460 V / 60 Hz / 63 A
Dust extraction motors	1 electric motor
Filter	4 high quality cartridge filters
Airflow	1294 cfm / Staic pressure 20.5"
Cleaning	Automatic pulse cleaning system
Dust hose inlet	Ø3" / Ø4" / Ø5"
Dustbin capacity / Optional dustbin	129 L / 36 gal



### DUST COLLECTOR BDC-99

Dimensions W / L / H	34" / 68" / 65"
Weight	1145 lbs
Motor power	8,5 kW / 400 V / 60 Hz / 63 A / 5 pole CE plug
Dust extraction motors	1 electric motor
Filter	9 high quality cartridge filters
Airflow	1565 cfm / Static pressure 26.5"
Cleaning	Automatic pulse cleaning system
Dust hose inlet	Ø5" / Ø6"
Dustbin capacity	40 gal



### CYCLONIC PRE-SEPARATOR

#### LARGE SIZE

Dimensions W / L / H	52" / 26.5" / 75" - 90"
Weight	235 lbs
Dust hose inlet	Ø4"
Dustbin capacity	55 lbs



### CYCLONIC PRE-SEPARATOR

#### SMALL SIZE

Dimensions W / L / H	30" / 23.5" / 46" - 62"
Weight	108 lbs
Dust hose inlet	Ø3"
Dustbin capacity	55 lbs



USA HEADQUARTERS

**DIAMATIC USA**

5220 Gaines Street  
San Diego, CA 92110

Toll free: 866.295.5512  
Tel: 619.295.0893  
Fax: 619.295.0754  
Email: [info@diamaticusa.com](mailto:info@diamaticusa.com)

[www.diamaticusa.com](http://www.diamaticusa.com)  
[www.ultraflor.com](http://www.ultraflor.com)

NORTHEAST FACILITY

**DIAMATIC USA**

622 Grant Road  
Folcroft, PA 19032

Toll free: 866.295.5512 EX: 1009  
Fax: 888.283.3312  
Email: [info@diamaticusa.com](mailto:info@diamaticusa.com)

CANADA

**INTERNATIONAL SURFACE  
PREPARATION**

5125 Timberlea Blvd  
Mississauga, ON, L4W 2S3

Toll free: 866.669.6643  
Fax: 866.669.6644  
Email: [info@blastrac.ca](mailto:info@blastrac.ca)

[blastrac.ca](http://blastrac.ca)  
[www.ultraflor.com](http://www.ultraflor.com)

CALGARY

**INTERNATIONAL SURFACE  
PREPARATION**

17-4216 54th Ave SE  
Calgary, ON, T2C 2E3

Toll free: 866.669.6643  
Direct: 403.454.1340  
Email: [info@blastrac.ca](mailto:info@blastrac.ca)

MÉXICO

**DIAMATIC MÉXICO S.A de C.V**

Solidaridad 1069  
Unidad Nacional I, Santa Catarina  
N.L, México. 66360

Voice: (52) 818.335.2810  
Mobile: 044.899.959.1006  
Email: [info@diamaticmx.com](mailto:info@diamaticmx.com)

[www.diamaticmx.com](http://www.diamaticmx.com)  
[www.ultraflor.com](http://www.ultraflor.com)

European Headquarters

**DIAMATIC EU**

Utrechthaven 12  
3433 PN Nieuwegein  
The Netherlands

Tel: +31 (0)30 223 8630  
Fax: +31 (0)30 223 8981  
E-mail: [info@diamatic.eu](mailto:info@diamatic.eu)

[www.diamatic.eu](http://www.diamatic.eu)

**INDUSTRY LEADING WARRANTY**  
**ULTRAFLOOR: POLISHED CONCRETE SYSTEMS**  
**NATIONWIDE RENTALS AVAILABLE**  
**ADVANCED TRAINING CLASSES**